GROUNDHOG®

Lucas Metal Works®
396281 West 3000 Road
Ochelata, OK 74051
918-535-2726 - Office
Lucasmetalworks.com

WATERING SYSTEM

THE GROUND HOG® IS SOLD SEPARATELY

MAINTAIN | CONTROL | PREVENT

The Ground Hog® Watering System was designed to maintain, control, and prevent. The unit was designed to help maintain the moisture in your arena's surface. To control the amount of dust that generates in the airflow of the arena. To help prevent injuries by not only helping The Ground Hog® Arena Tool penetrate, rework, and finish your arena's surface safely and flawlessly, but also to keep the hazardous dust out of the lungs of the horse and rider. The unit is available to be mounted on 7', 8', and 9' Ground Hog® Arena Tool models. The watering system comes standard with two 50-gallon water tanks that are operated by two 12-volt water pumps. The two 12-volt water pumps power the water from the tanks to spray out the 6 spray nozzles. The unit is operated by a dual lever switch box that allows the user to turn on and off the watering system when desired from the seat of their tractor. Fight back against hard and dry terrain and the dust that comes with it, with The Ground Hog® Watering System.

AVAILABLE

IN

BLUE - BLACK

GROUNDHOG®

Lucas Metal Works®
396281 West 3000 Road
Ochelata, OK 74051
918-535-2726 - Office
Lucasmetalworks.com

WATERING SYSTEM

THE GROUND HOG® IS SOLD SEPARATELY

SPECIFICATIONS:

Models Available: To be mounted on The Ground Hog®	7′	8′	9′
Spray Nozzles	6	6	6
Water Pumps (12 Volts)	2	2	2
Water Tanks (50 Gallon)	2	2	2
Weight (Tanks Filled to Capacity)	900 lbs.	900 lbs.	900 lbs.

GROUNDHOG®

Lucas Metal Works®
396281 West 3000 Road
Ochelata, OK 74051
918-535-2726 - Office
Lucasmetalworks.com

ONE TOOL | ONE PASS | ONE RESULT
FLAWLESSLY CONDITIONED GROUND

The Ground Hog® Arena Tool was designed in 1996 by an avid arena owner, Raymond Lucas, who wasn't satisfied with the arena grooming tools that were on the market. Raymond desired to have one tool, that could groom the arena ground in one pass, and produce the same consisten result every pass, safe and flawlessly conditioning the ground. The Ground Hog® Arena Tool enables arena owners to not only rework the surface with the unit's hyraulically operated ripper shanks but also fill in the holes that are dug by performance horses. This was accomplished with the unit's double grader blades, which allow for dirt to be carried by the unit and evenly distributed throughout the arena. Allowing for the unit's pegged finishing roller to flawlessly compact and finish the ground safely for the hourse and rider. The Ground Hog® is trusted by arena owners, barrel racers, rodeo associations, and event centers across North America. Including the granddaddy of all rodeos, the National Finals Rodeo (NFR). The Ground Hog® is available in seven different versatile sizes and two colors (blue and black). See the recommended hoursepower chart to see what size of unit works best with your tractor and arena.

AVAILABLE
IN
BLUE - BLACK

GROUNDHOG®

Lucas Metal Works®
396281 West 3000 Road
Ochelata, OK 74051
918-535-2726 - Office
Lucasmetalworks.com



THE ONLY ARENA TOOL WITH AN ATTITUDE

SPECIFICATIONS:

Models Width							
Rippers Quantity	6	6	8	8	10	10	14
Hog Blades Height	8"	8"	8"	8"	8"	8"	8"
Harrow Teeth Quantity, 2-Rows	13	18	21	23	27	29	35
Hog Roller Diameter	7"	7"	7"	7"	7"	7"	7"
Dimensions (LxWxH)	6'x5'-6"x3'-5"	6'x6'-6"x3'-5"	6'x7'-6"x3'-5"	6'x8'-6"x3'-5"	6'x9'-6"x3'-5"	6.4'x10'-6x3'-5"	6.4'x12'-6x3'-5"
Recommended Horsespower	30 HP	35-40 HP	40-50 HP	50-60 HP	60-70 HP	80 HP	100+ HP